

# The latex-lab-mathtools code\*

L<sup>A</sup>T<sub>E</sub>X Project

v0.80a 2024-09-18

## Abstract

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The Implementation</b>	<b>1</b>
2.1	File declaration . . . . .	1
2.2	Tagpdf support . . . . .	1
2.3	\shortintertext . . . . .	2
	<b>Index</b>	<b>5</b>

## 1 Introduction

This file implements adaptations to the mathtools package needed for the tagging project.

## 2 The Implementation

1 `<@@=math>`

2 `<*kernel>`

### 2.1 File declaration

3 `\ProvidesFile{latex-lab-mathtools.ltx}`

4 `[2024-07-13 v0.1a mathtools adaptations]`

### 2.2 Tagpdf support

To make the code independent from tagging being loaded and active we load the tagpdf-base package:

5 `\RequirePackage{tagpdf-base}`

---

\*

## 2.3 \shortintertext

Similar to the `\intertext` command from `amsmath`, `\shortintertext` errors with active tagging as it is processed twice which leads to duplicated structures. The fix is similar but is complicated as `mathtools` defines two version (and an additional `\intertext` version) and package options to switch between the variants.

At first we redefine all the internal commands

```

6 \ExplSyntaxOn
7 \tl_new:N\l__math_mathtools_init_tl
8 \cs_if_eq:NNTF\intertext@ \MT_intertext:
9 {
10   \tl_set:Nn \l__math_mathtools_init_tl {\MT_orig_intertext_false:}
11 }
12 {
13   \tl_set:Nn \l__math_mathtools_init_tl {\MT_orig_intertext_true:}
14 }
15 \cs_if_eq:NNTF\shortintertext@ \MT_shortintertext:n
16 {
17   \tl_put_right:Nn \l__math_mathtools_init_tl
18     {\MT_orig_shortintertext_false:}
19 }
20 {
21   \tl_put_right:Nn \l__math_mathtools_init_tl
22     {\MT_orig_shortintertext_true:}
23 }
24 \def\MT_intertext: {%
25   \def\intertext##1{%
26     \ifvmode\else\\\@empty\fi
27     \noalign{%
28       \penalty\postdisplaypenalty\vskip-\belowdisplayskip
29       \vskip-\lineskiplimit % CCS
30       \vskip\normallineskiplimit % CCS
31       \vskip\l_MT_above_intertext_sep
32       \vbox{%

```

Stop tagging when measuring:

```

33   \ifmeasuring@\tag_suspend:n{\measuring}\fi
34   \normalbaselines
35   \ifdim
36     \ifdim\@totalleftmargin=\z@
37       \linewidth
38     \else
39       -\maxdimen
40     \fi
41   =\columnwidth
42   \else \parshape\@ne \@totalleftmargin \linewidth
43   \fi

```

End the previous mc:

```

44   \tag_mc_end_push:

```

We are already in a par so we change now to Span:

```

45   \tagpdfsetup{para/tag=Span}
46   \noindent\ignorespaces##1\par

```

Restart the MC

```

47      \tag_mc_begin_pop:n{}}}%
48      \penalty\predisplaypenalty\vskip\abovedisplayskip%
49      \vskip-\lineskiplimit      % CCS
50      \vskip\normallineskiplimit % CCS
51      \vskip\l_MT_below_intertext_sep
52  }%
53 }%
54 \MH_let:NwN \shortintertext \shortintertext@
55 }

56 \def\MT_orig_shortintertext:n #1{%
57   \ifvmode\else\\\@empty\fi
58   \noalign{%
59     \penalty\postdisplaypenalty\vskip\abovedisplayshortskip
60     \vbox{%
61       \ifmeasuring@\tag_suspend:n{\measuring}\fi
62       \normalbaselines
63       \MH_if_dim:w
64       \MH_if_dim:w \@totalleftmargin=\z@
65       \linewidth
66       \MH_else:
67       -\maxdimen
68       \MH_fi:
69       =\columnwidth
70       \MH_else:
71       \parshape\@ne \@totalleftmargin \linewidth
72       \MH_fi:
73       \tag_mc_end_push:
74       \tagpdfsetup{para/tag=Span}
75       \tagpdfparaOn
76       \noindent\ignorespaces#1\par
77       \tag_mc_begin_pop:n{}}
78     \penalty\predisplaypenalty\vskip\abovedisplayshortskip%
79   }%
80 }

81 \def\MT_shortintertext:n #1{%
82   \ifvmode\else\\\@empty\fi
83   \noalign{%
84     \penalty\postdisplaypenalty\vskip\abovedisplayshortskip
85     \vskip-\lineskiplimit
86     \vskip\normallineskiplimit
87     \vskip\l_MT_above_shortintertext_sep
88     \vbox{%
89       \ifmeasuring@\tag_suspend:n{\measuring}\fi
90       \normalbaselines
91       \MH_if_dim:w
92       \MH_if_dim:w \@totalleftmargin=\z@
93       \linewidth
94       \MH_else:
95       -\maxdimen
96       \MH_fi:
97       =\columnwidth
98       \MH_else:

```

```

99      \parshape\@ne \@totalleftmargin \linewidth
100     \MH_fi:
101     \tag_mc_end_push:
102     \tagpdfsetup{para/tag=P}

```

Why is it needed to enable paratagging??

```

103     \tagpdfparaOn
104     \noindent\ignorespaces#1\par
105     \tag_mc_begin_pop:n{}}%
106     \penalty\predisplaypenalty\vskip\abovedisplayskip%
107     \vskip-\lineskiplimit
108     \vskip\normallineskiplimit
109     \vskip\l_MT_below_shortintertext_sep
110   }%
111 }

```

see <https://github.com/latex3/tagging-project/issues/734>. The multlined environment still creates a few unneeded structure, perhaps triggered by empty tags.

```

112   \renewcommand*{\MT_mult_internal:n [1]{
113     \MH_if_boolean:nF {outer_mult}{\alignedspace@left} %<-- requires amsmath 2016/11/05
114     \MT_next:
115     \bgroup
116     \Let@
117     \def\l_MT_multline_lastline_fint{0 }
118     \chardef\dspbrk@context\@ne \restore@math@cr
119     \MH_let:NwN \math@cr__math\MT_mult_mathcr_atat:w
120     \MH_let:NwN \shoveleft\MT_shoveleft:wn
121     \MH_let:NwN \shoveright\MT_shoveright:wn
122     \spread@equation
123     \MH_set_boolean_F:n {mult_firstline}
124     \MT_measure_mult:n {#1}
125     \MH_if_dim:w \l_MT_multwidth_dim<\l_MT_multline_measure_fdim
126     \MH_setlength:dn \l_MT_multwidth_dim{\l_MT_multline_measure_fdim}
127     \fi
128     \MH_set_boolean_T:n {mult_firstline}
129     \MH_if_num:w \l_MT_multline_lastline_fint=\@ne
130     \MH_let:NwN \math@cr__math \MT_mult_firstandlast_mathcr:w
131     \MH_fi:
132     \ialign\bgroup
133     \hfil\strut@$\m@th\displaystyle{##}
134     \UseTaggingSocket{math/luamml/save/nNn}{ {} \displaystyle {mtd}}
135     $
136     \UseTaggingSocket{math/luamml/mtable/finalizecol}{last}
137     \hfil
138     \crcr
139     \hfilneg
140     #1
141   }

```

end hook

```

142   \l__math_mathtools_init_tl
143   \ExplSyntaxOff
144   </kernel>

```

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>Symbols</b>	<b>\measuring</b> . . . . . 33, 61, 89
<b>\\</b> . . . . . 26, 57, 82	<b>MH commands:</b>
<b>A</b>	<b>\MH_else:</b> . . . . . 66, 70, 94, 98
<b>\abovedisplayshortskip</b> . . 59, 78, 84, 106	<b>\MH_fi:</b> . . . . . 68, 72, 96, 100, 131
<b>\abovedisplayskip</b> . . . . . 48	<b>\MH_if_boolean:nTF</b> . . . . . 113
<b>B</b>	<b>\MH_if_dim:w</b> . . . . . 63, 64, 91, 92, 125
<b>\belowdisplayskip</b> . . . . . 28	<b>\MH_if_num:w</b> . . . . . 129
<b>\bgroup</b> . . . . . 115, 132	<b>\MH_let:NwN</b> . . . . . 54, 119, 120, 121, 130
<b>C</b>	<b>\MH_set_boolean_F:n</b> . . . . . 123
<b>\chardef</b> . . . . . 118	<b>\MH_set_boolean_T:n</b> . . . . . 128
<b>\columnwidth</b> . . . . . 41, 69, 97	<b>\MH_setlength:dn</b> . . . . . 126
<b>\crrc</b> . . . . . 138	<b>MT commands:</b>
<b>cs commands:</b>	<b>\l_MT_above_intertext_sep</b> . . . . . 31
<b>\cs_if_eq:NNTF</b> . . . . . 8, 15	<b>\l_MT_above_shortintertext_sep</b> . . 87
<b>D</b>	<b>\l_MT_below_intertext_sep</b> . . . . . 51
<b>\def</b> . . . . . 24, 25, 56, 81, 117	<b>\l_MT_below_shortintertext_sep</b> . 109
<b>\displaystyle</b> . . . . . 133, 134	<b>\MT_intertext:</b> . . . . . 8, 24
<b>E</b>	<b>\MT_measure_mult:n</b> . . . . . 124
<b>\else</b> . . . . . 26, 38, 42, 57, 82	<b>\MT_mult_firstandlast_mathcr:w</b> . 130
<b>\ExplSyntaxOff</b> . . . . . 143	<b>\MT_mult_internal:n</b> . . . . . 112
<b>\ExplSyntaxOn</b> . . . . . 6	<b>\MT_mult_mathcr_atat:w</b> . . . . . 119
<b>F</b>	<b>\l_MT_multline_lastline_fint</b> 117, 129
<b>\fi</b> . . . . . 26, 33, 40, 43, 57, 61, 82, 89, 127	<b>\l_MT_multline_measure_fdim</b> 125, 126
<b>H</b>	<b>\l_MT_multwidth_dim</b> . . . . . 125, 126
<b>\hfil</b> . . . . . 133, 137	<b>\MT_next:</b> . . . . . 114
<b>\hfilneg</b> . . . . . 139	<b>\MT_orig_intertext_false:</b> . . . . . 10
<b>I</b>	<b>\MT_orig_intertext_true:</b> . . . . . 13
<b>\ialign</b> . . . . . 132	<b>\MT_orig_shortintertext:n</b> . . . . . 56
<b>\ifdim</b> . . . . . 35, 36	<b>\MT_orig_shortintertext_false:</b> . . 18
<b>\ifvmode</b> . . . . . 26, 57, 82	<b>\MT_orig_shortintertext_true:</b> . . 22
<b>\ignorespaces</b> . . . . . 46, 76, 104	<b>\MT_shortintertext:n</b> . . . . . 15, 81
<b>\intertext</b> . . . . . 2, 25	<b>\MT_shoveleft:wn</b> . . . . . 120
<b>L</b>	<b>\MT_shoveright:wn</b> . . . . . 121
<b>\lineskiplimit</b> . . . . . 29, 49, 85, 107	<b>N</b>
<b>\linewidth</b> . . . . . 37, 42, 65, 71, 93, 99	<b>\noalign</b> . . . . . 27, 58, 83
<b>M</b>	<b>\noindent</b> . . . . . 46, 76, 104
<b>math@cr</b> internal commands:	<b>\normalbaselines</b> . . . . . 34, 62, 90
<b>\math@cr_math</b> . . . . . 119, 130	<b>\normallineskiplimit</b> . . . . 30, 50, 86, 108
<b>\maxdimen</b> . . . . . 39, 67, 95	<b>P</b>
	<b>\par</b> . . . . . 46, 76, 104
	<b>\parshape</b> . . . . . 42, 71, 99
	<b>\penalty</b> . . . . . 28, 48, 59, 78, 84, 106
	<b>\postdisplaypenalty</b> . . . . . 28, 59, 84
	<b>\predisdisplaypenalty</b> . . . . . 48, 78, 106
	<b>\ProvidesFile</b> . . . . . 3

<b>R</b>		<code>\intertext@</code> ..... 8
<code>\renewcommand</code> ..... 112		<code>\Let@</code> ..... 116
<code>\RequirePackage</code> ..... 5		<code>\m@th</code> ..... 133
<b>S</b>		<code>\restore@math@cr</code> ..... 118
<code>\shortintertext</code> ..... 2, 54		<code>\shortintertext@</code> ..... 15, 54
<code>\shoveleft</code> ..... 120		<code>\spread@equation</code> ..... 122
<code>\shoveright</code> ..... 121		<code>\strut@</code> ..... 133
<b>T</b>		<code>\z@</code> ..... 36, 64, 92
tag commands:		tl commands:
<code>\tag_mc_begin_pop:n</code> ..... 47, 77, 105		<code>\tl_new:N</code> ..... 7
<code>\tag_mc_end_push:</code> ..... 44, 73, 101		<code>\tl_put_right:Nn</code> ..... 17, 21
<code>\tag_suspend:n</code> ..... 33, 61, 89		<code>\tl_set:Nn</code> ..... 10, 13
<code>\tagpdfpara0n</code> ..... 75, 103		tl internal commands:
<code>\tagpdfsetup</code> ..... 45, 74, 102		<code>\l__math_mathtools_init_tl</code> ..... 7, 10, 13, 17, 21, 142
T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> commands:		
<code>\@empty</code> ..... 26, 57, 82		<b>U</b>
<code>\@ne</code> ..... 42, 71, 99, 118, 129		<code>\UseTaggingSocket</code> ..... 134, 136
<code>\@totalleftmargin</code> 36, 42, 64, 71, 92, 99		
<code>\alignedspace@left</code> ..... 113		<b>V</b>
<code>\dspbrk@context</code> ..... 118		<code>\vbox</code> ..... 32, 60, 88
<code>\ifmeasuring@</code> ..... 33, 61, 89		<code>\vskip</code> ... 28, 29, 30, 31, 48, 49, 50, 51, 59, 78, 84, 85, 86, 87, 106, 107, 108, 109